



Slim-Temp
REACH-IN UNIT COOLER
ELECTRIC DEFROST



The "SLE" product line offers eight electric defrost models. Typical installations include; glass display and solid door uprights, walk-ins, salad cases, back bars and other tight spaced enclosures requiring electric defrost.

All models are very low in height. Built with heavy gauge, textured Aluminum, they are compact and mount flush to the ceiling. Quick removal of the drain pan allows easy access to electrical and piping components.

Capacity ratings are shown for -10°F evaporator temperature @ 10°TD.



REACH-IN UNIT COOLER ELECTRIC DEFROST


Specifications

MODEL	CAP. 10°TD	CFM	FAN		MOTOR AMPS		HEATER AMPS		HEATER WATTS	CONNECTIONS			WT. LBS.
			DIA.	QTY.	115V	230V	115V	230V		SUC.	LIQ.	DRAIN	
SLE15-9	900	150	6	1	0.73	0.37	3.5	1.8	400	3/8	1/2 FN	1/2 OD	16
SLE15-12	1200	180	6	1	0.73	0.37	4.4	2.2	500	3/8	1/2 FN	1/2 OD	19
SLE25-16	1600	300	6	2	1.5	0.73	6.1	3.1	700	3/8	1/2 FN	1/2 OD	23
SLE25-21	2100	450	8	2	1.2	0.6	6.1	3.1	700	1/2	1/2 FN	1/2 OD	31
SLE25-28	2800	500	8	2	1.2	0.6	7.8	3.9	900	1/2	1/2 FN	1/2 OD	39
SLE35-36	3600	750	8	3	1.8	0.9	10.4	5.2	1200	5/8	1/2 FN	1/2 OD	48
SLE45-54	5400	950	8	4	2.4	1.2	13.0	6.5	1500	5/8	1/2 FN	1/2 OD	70
SLE35-70	7000	1200	10	3	3.3	1.65	N/A	10.0	2300	7/8	1/2 FN	1/2 OD	105

Dimensions

MODEL	W	D	H	B	C	E	F	G	J	K	L	M	N
SLE15-9	16-1/2	13-1/2	4-3/4	6-3/4	2-1/4	13-3/4	14-3/4	7/8	7/8	1	2-3/4	3	4-3/4
SLE15-12	20-1/2	13-1/2	4-3/4	6-3/4	2-1/4	13-3/4	18-3/4	7/8	7/8	1	3-3/4	3	4-3/4
SLE25-16	24	14-1/2	4-3/4	6-3/4	2-1/4	14-3/4	22-1/4	7/8	7/8	1	11-3/4	3	4-3/4
SLE25-21	24	15-1/2	6-3/4	8	2-1/4	15-3/4	22-1/4	7/8	7/8	1	6-1/4	3	4-3/4
SLE25-28	31-1/2	15-1/2	6-3/4	7-3/4	2-1/4	15-3/4	29-3/4	7/8	7/8	1	5-3/4	2	3-3/4
SLE35-36	38-1/2	15-1/2	6-3/4	7-3/4	2-1/4	15-3/4	36-3/4	7/8	7/8	1	3	2	3-3/4
SLE45-54	48-1/2	16-1/2	6-3/4	8	2-1/4	16-3/4	46-3/4	7/8	7/8	1	13	2	3-3/4
SLE35-70	76-1/2	20-1/2	6-3/4	7-3/4	2-1/4	20-3/4	74-1/8	1-1/2	7/8	1	8-1/2	2	3-3/4

* All dimensions are in inches.



Due to continuing product development, specifications are subject to change without notice.